

---

**2013 Journal Papers**

1. Zhang, Z., Duan, W.H. and Wang, C.M. (2013). "A grillage model for predicting wrinkles in annular grapheme under circular shearing," *Journal of Applied Physics*, 113, 014902 (7 pages).
2. Wang, C.M., Wang, C.Y. and Tay, Z.Y. (2013). "Analogy of TE waveguide and vibrating plate with sliding edge condition and exact solutions," *The IES Journal Part A: Civil and Structural Engineering*, 6(1), 32-41.
3. Zhibin Hu, Chenggang Zhou, Rajiv Ramanujam Prabhakar, Sharon Xiaodai Lim, Yinghui Wang, Jeroen A van Kan, Hansong Cheng, Subodh G Mhaisalkar, Chornng-Haur Sow, Rapid reversible electromigration of intercalated K ions within individual MoO<sub>3</sub> nanobundle, *Journal of Applied Physics* 113 (2013) 024311-024311-7.
4. Fan Liu, Kheng Boon Tan, M.P. Malar, S. K. Bikkarolla, J.A. van Kan, Fabrication of nickel molds using proton beam writing for micro/nano fluidic devices, *Microelectronic Engineering*, 102 (2013) 36-39.
5. Norarat R., Whitlow H.J., Ren M., Osipowicz T., van Kan J.A., Timonen J., Watt F, Objective improvement of the visual quality of ion microscope images, *Microelectronic Engineering*, 102 (2013) 6-8.
6. Y.H. Wang, P.P. Malar, J. Zhao, J.A. van Kan, Resist Evaluation for Ni Mold Fabrication and Proton Beam Writing, *Microelectronic Engineering*, 102 (2013) 40-43.
7. J.A. van Kan A.A. Bettiol, Editorial, *Microelectronic Engineering*, 102 (2013) 1.
8. Tse Jian Wong, Fang Jeng Lim, Minmin Gao, Gah Hung Lee and Ghim Wei Ho (2013), "Photocatalytic H<sub>2</sub> production of composite one-dimensional TiO<sub>2</sub> nanostructures of different morphological structures and crystal phases with graphene," *Catal. Sci. Technol.*, 3(4), 1086-1093.
9. Jia Min Chin, Eric Yu Chen, Ajay Govinda Menon, Han Yang Tan, Andy Tzi Sum Hor, Martin Karl Schreyer and Jianwei Xu (2013). "Tuning the aspect ratio of NH<sub>2</sub>-MIL-53(Al) microneedles and nanorods via coordination modulation", *Cryst Eng Comm*, 15(4), 654-657.
10. Papaioannou, Iason, Gao, R.P., Rank, E. and Wang, C.M. (2013). "Stochastic hydroelastic analysis of pontoon-type very large floating structures considering directional wave spectrum", *Probabilistic Engineering Mechanics*, **33**, 26-37.
11. Xu, S.P., Xu, M.R. and Wang, C.M. (2013). "Stability analysis of nonlocal elastic columns with initial imperfection," *Mathematical Problems in Engineering*, **2013**, Article ID 341232, 12 pages.
12. Chua, K.J. Fundamental experiments and numerical investigation of cryo-freezing incorporating vascular network with enhanced nano-freezing. (2013) *International Journal of Thermal Sciences*, Article in Press
13. Chua, K.J., Chou, S.K., Yang, W.M., Yan, J. Achieving better energy-efficient air conditioning - A review of technologies and strategies. (2013) *Applied Energy* 104, pp. 87-104 0
14. Zhao, X., Chua, K.J. Investigating the cryoablative efficacy of a hybrid cryoprobe operating under freeze-thaw cycles. (2013) *Cryobiology*, Article in Press
15. Yang, W.M., An, H., Chou, S.K., Chua, K.J., Mohan, B., Sivasankaralingam, V., Raman, V., Maghbouli, A., Li, J. Impact of emulsion fuel with nano-organic additives on the performance of diesel engine. (2013) *Applied Energy*, Article in Press
16. An, H., Yang, W.M., Maghbouli, A., Li, J., Chou, S.K., Chua, K.J. A numerical study on a hydrogen assisted diesel engine (2013) *International Journal of Hydrogen Energy* 38 (6), pp. 2919-2928
17. Yang, W.M., An, H., Chou S.K., Vedharaji, S., Vallinagam, R., Balaji, M., Mohammad, F.E.A., Chua, K.J.E. Emulsion fuel with novel nano-organic additives for diesel engine application, (2013) *Fuel* 104, pp. 726-731
18. An, H., Yang, W.M., Maghbouli, A., Li, J., Chou, S.K., Chua, K.J. Performance, combustion and emission characteristics of biodiesel derived from waste cooking oils. (2013) *Applied Energy*, Article in Press

19. An, H., Yang, W.M., Maghbouli, A., Chou, S.K., Chua, K.J. Detailed physical properties prediction of pure methyl esters for biodiesel combustion modeling. (2013) *Applied Energy* 102 , pp. 647-656 0
20. Chua, K.J., Zhao, X., Chou, S.K. Effects of crucial parameters on the freezing delivery in the cryosurgical system. (2013) *Applied Thermal Engineering*, 51 (1-2) , pp. 734-741
21. Chua, K.J. Fundamental experiments and numerical investigation of cryo-freezing incorporating vascular network with enhanced nano-freezing. (2013) *International Journal of Thermal Sciences*, 70, pp. 17–31
22. Zhao, X., Chua, K.J. Investigating the cryoablative efficacy of a hybrid cryoprobe operating under freeze-thaw cycles. (2013) *Cryobiology*, 66, pp. 239–249
23. Gao, R.P., Wang, C.M. and Koh, C.G. (2013). "Reducing hydroelastic response of pontoon-type very large floating structures using flexible connector and gill cells," *Engineering Structures*, 52, 372-383.
24. Hsin-jay Wu, Wei-jian Foo, Wojciech Gierlotka, Sinn-wen Chen, G. Jeffrey Snyder(2013). "The microstructure, liquidus projection and thermodynamic modeling of thermoelectric AgePbTe system," *Materials Chemistry and Physics*, <http://dx.doi.org/10.1016/j.matchemphys.2013.05.072>
25. Wang, C.Y. and Wang, C.M. (2013). "Exact vibration solutions for a class of nonuniform beams," *Journal of Engineering Mechanics*, 139(7), 928-931.
26. Challamel N., Zhang, Z. and Wang, C.M. (2013). "Nonlocal equivalent continua for buckling and vibration analyses of microstructured beams," *Journal of Nanomechanics and Micromechanics*, 10.1061/(ASCE)NM.2153-5477.0000062.
27. Zhang, Y.Y., Pei, Q.X., Wang, C.M., Cheng, Y. and Zhang, Y.W. (2013). "A molecular dynamics investigation on mechanical properties of hydrogenated graphynes," *Journal of Applied Physics*, 114, 073504.
28. Mark J. Panaggio, Bertand J. Ottino-Löffler, Peiguang Hu, and Daniel M. Abrams (2013). "Symmetry breaking in optimal timing of traffic signals on an idealized two-way street", *Phys. Rev. E* 88, 032801.
29. Wang, C.M., Zhang, Z., Challamel, N. and Duan, W.H. (2013). "Calibration of Eringen's small length scale coefficient for initially stressed vibrating nonlocal Euler beams based on microstructured beam model," *Journal of Physics D: Applied Physics*, 46(34), 345501.
30. Duan, W.H., Challamel, N., Wang, C.M. and Ding, Z.W. (2013). "Development of analytical vibration for microstructured beam model to calibrate length scale coefficient in nonlocal Timoshenko beams", *Journal of Applied Physics*, 114, 104312.
31. Zhang, Z., Challamel, N. and Wang, C.M. (2013). "Eringen's small length scale coefficient for buckling of nonlocal Timoshenko beam based on microstructured beam model", *Journal of Applied Physics*, 114, 114902.
32. K.J. Chua, W.M. Yang, T.Z. Wong, C.A. Ho (2013). Integrating renewable energy technologies to support building trigeneration - A multi-criteria analysis, *Renewable Energy* 41 (2012) 358e367
33. K.J. Chua, W.M. Yang, S.S. Er, C.A. Ho (2013). Sustainable energy systems for a remote island Community, *Applied Energy*
34. W.L. Ong, C.M. Ke, P. Lim, A. Kumar, K.Y. Zeng, G. W. Ho (2013) "Direct stamping and capillary flow patterning of solution processable piezoelectric polyvinylidene fluoride films", *Polymer*
35. Foo, W.J., Zhang, C., Ho, G.W. (2013). "Non-noble metal Cu-loaded TiO<sub>2</sub> for enhanced photocatalytic H<sub>2</sub> production", *Nanoscale* 5 (2), pp. 759-764.
36. Iftikhar Ahmed, Rick Siow Mong Goh, Eng Huat Khoo, Kim Huat Lee, Siaw Kian Zhong, Er Ping Li, Terence Hung. "Implementation of the Lorentz-Drude model incorporated FDTD method on multiple GPUs for plasmonics applications", *International Journal of Computational Methods* (2013) in press.
37. Fan Liu, Kheng Boon Tan, M.P. Malar, S. K. Bikkarolla, J.A. van Kan, "Fabrication of nickel molds using proton beam writing for micro/nano fluidic devices", *Microelectronic Engineering*, 102 (2013) 36-39.

38. Jia Min Chin, Eric Yu Chen, Ajay Govinda Menon, Han Yang Tan, Andy Tzi Sum Hor, Martin Karl Schreyer and Jianwei Xu (2013). "Tuning the aspect ratio of NH<sub>2</sub>-MIL-53(Al) microneedles and nanorods via coordination modulation", *Cryst Eng Comm*, 15(4), 654-657
39. Ding, Z., Liu, Z., Hu, J., Swaddiwudhipong, S., Yang, Z., Inhomogeneous large deformation study of temperature-sensitive hydrogel, *International Journal of Solids and Structures* (2013), doi: <http://dx.doi.org/10.1016/j.ijsolstr.2013.04.011>
40. [Pai Wang](#)<sup>1</sup>, [Jongmin Shim](#)<sup>2</sup>, and [Katia Bertoldi](#)<sup>1,3</sup> "Effects of geometric and material nonlinearities on tunable band gaps and low-frequency directionality of phononic crystals" *Phys. Rev. B* 88, 014304 (2013), DOI: 10.1103/PhysRevB.88.014304
41. Yong Yao, Martin W. van Mourik, P. Santhana Raman, Jeroen A. van Kan, Improved beam spot measurements in the 2nd generation proton beam writing system, *Nuclear Instruments & Methods in Physics Research Section B306* (2013) 265-270.
42. F. Watt, X. Chen, C.-B. Chen, CNB Udalagama, J.A. van Kan, A.A. Bettiol, Whole cell structural imaging at 20 nanometre resolutions using MeV ions, *Nuclear Instruments & Methods in Physics Research Section B306* (2013) 6-11.
43. Whitlow, H.J., Ren, M., Chen, X., Osipowicz, T., Van Kan, J.A., Watt, F., Angular spreading measurements using MeV ion microscopes, *Nuclear Instruments & Methods in Physics Research Section B306* (2013) 311-313.
44. Ce Zhang, Kai Jiang, Fan Liu, Patrick S. Doyle, Jeroen A. van Kan and Johan R.C. van der Maarel, A nanofluidic device for single molecule studies with in situ control of environmental solution conditions, *LOC 13* (2013) 2821-2826. DOI: 10.1039/c3lc50233c.
45. Zhiya Dang, Agnieszka Banas, Sara Azimi, Jiao Song, Mark Breese, Yong Yao, Shuvan Prashant Turaga, Gonzalo Recio-Sánchez, Andrew Bettiol, Jeroen Van Kan, Silicon and porous silicon mid-infrared photonic crystals, *Appl Phys A 112* (2013) 517-523, DOI 10.1007/s00339-013-7782-4.
46. C Zhang, A Hernandez-Garcia, K Jiang, Z Gong, D Guttula, SY Ng, PP Malar, JA van Kan, Liang Dai, PS Doyle, R de Vries, and JRC van der Maarel, Amplified stretch of bottlebrush-coated DNA in nanofluidic hannels, *Nucleic Acids Research*, **41** (2013) e189 (8 pages). DOI: [10.1093/nar/gkt783](https://doi.org/10.1093/nar/gkt783)
47. AP Sasmito, T Shamim, E Birgersson, AS Mujumdar. Numerical Investigation of Water and Temperature Distributions for Open-Cathode Polymer Electrolyte Fuel Cell Stack with Edge Cooling, (2013). *Journal of Fuel Cell Science and Technology* 10 (6), 061003.
48. AK Sharma, E Birgersson, M Vynnycky, H Ly. On the interchangeability of potentiostatic and galvanostatic boundary conditions for fuel cells, (2013). *Electrochimica Acta* 109, 617-622.
49. CY Ling, SL Ee, E Birgersson. Three-dimensional approximate analytical solutions for direct liquid fuel cells, (2013). *Electrochimica Acta* 109, 305-315.
50. M Vynnycky, AK Sharma, E Birgersson. A finite-element method for the weakly compressible parabolized steady 3D Navier–Stokes equations in a channel with a permeable wall, (2013). *Computers & Fluids* 81, 152-161.
51. U Birgersson, E Birgersson, I Nicander, S Ollmar. A methodology for extracting the electrical properties of human skin, (2013). *Physiological measurement* 34 (6), 723.
52. Z He, H Li, E Birgersson. Reduced model for the planar solid oxide fuel cell, (2013). *Computers & Chemical Engineering* 52, 155-167.
53. T Zhang, E Birgersson, J Luther. A spatially smoothed device model for organic bulk heterojunction solar cells, (2013). *Journal of Applied Physics* 113 (17), 174505.
54. YT Set, MD Heinemann, E Birgersson, J Luther. On the origin of the quadrant I semicircle in intensity-modulated photocurrent spectra of P3HT: PCBM Bulk heterojunction solar cells: Evidence of degradation - related trap-assisted recombination, (2013). *The Journal of Physical Chemistry C* 117 (16), 7993-8000.
55. AP Sasmito, E Birgersson, HC Ly, AS Mujumdar. Some approaches to improve ventilation system in underground coal mines environment—A computational fluid dynamic study, (2013). *Tunnelling and Underground Space Technology* 34, 82-95.

56. CY Ling, SL Ee, E Birgersson. Three-dimensional approximate analytical solutions for direct liquid fuel cells, (2013). *Electrochimica Acta*.
57. AK Sharma, E Birgersson, M Vynnycky. An Aggregate Measure for the Local Current Density Coupling in Fuel Cell Stacks, (2013). *Journal of The Electrochemical Society* 160 (11), F1237-F1240
58. GDS Tan, GW Toh, E Birgersson, J Robens, D Van Noort, HL Leo. A thin-walled polydimethylsiloxane bioreactor for high-density hepatocyte sandwich culture, (2013). *Biotechnology and Bioengineering*